

21-C Ford Bronco Sport

Mud Flap Set, Rear Mounting Diagram & Instructions

IMPORTANT:

Manufacturer is not responsible for negligent use of vehicle with mud flaps installed, including over-tightening of screws and bolts causing damage to vehicle or mud flaps.

TOOLS REQUIRED-



Push Pin Removal Tool





7/16" Open Wrench and Socket Wrench




¼ Drill Bit




Electric or Rechargeable Drill

FLAPS AND BRACKETS







PARTS BAG # 769777

a) (2) Capscrew, Blk Oxidized SS,1/4-20UNC x 3/8" Part #014069



b) (6) Capscrew, Blk Oxidized SS, ¼"-20UNC x 1" Part #014073



c) (8) Spring Nut '4"-20UNC, 0.54" Reach Part #028010



d) (6) Washer, Flat, 1"OD, SS, Blk Ox. Part #018069




e) (2) Washer, Offset 0.281" x 1.5", SS Part #018087





INSTALLATION (For ease of installation it is suggested that the wheel be removed)

- 1. Before you install your Mud Flap Set, see the diagram and parts list for all necessary parts.
- 2. Remove the (4) lowest factory push pins on the fender lip. Set 1 aside for reinstallation and discard the remaining 3.
- 3. Pull back fabric liner and install spring nuts (c) on factory holes #1 to #3 with the extruding end facing in. (See Diagram #1).
- 4. Loosely install mud flap holes #7 & #8 to factory holes #2 & #3 through spring nuts (c) using a capscrew (b) and flat washer (d).
- 5. Line mud flap hole #9 up with the fabric liner and mark the spot using a marker. Using a ½" drill but, drill a small hole (#4) in the liner in that location. Gently pull back the liner and install a spring nut (c) on fender lip, lining it up with the hole in the fabric liner with the extruding end facing out. Put the liner back in place and reinstall the previously removed factory push pin into hole #5.
- 6. Loosely install mud flap hole #9 to spring nut (c) using a capscrew (a) and flat washer (d)
- 7. Loosely install mud flap hole #6 to factory hole #1 through spring nut (c) using a capscrew (b) and offset washer (e) installing the capscrew through the outer hole of the washer.
- 8. Before tightening, check that the flap is straight and level using a square of bubble level. (Do not over tighten)



Please check out our YouTube channel to see an install video for this application.







Gatorback Mud Flaps by Truck Hardware Ltd. LIMITED WARRANTY

All Ford part numbers provided by Truck Hardware Ltd. are warranted to be free from defects in materials or workmanship on products properly installed per the installation instructions provided with the product. This warranty covers repair or replacement of any defective product at no charge during the applicable warranty period listed below. Labor for replacement or service of defective product is not paid or reimbursed by Truck Hardware Ltd.

WARRANTY PERIOD		
	USA	Outside USA
Product which appears on New Vehicle Monroney Label (window sticker)	Coverage which matches new vehicle warrantyFord - 3 years or 36,000 miles whichever comes first; Lincoln 4 years or 50,000 miles whichever comes first	Coverage which matches new vehicle warrantyFord - 3 years or 60,000 kilometers whichever comes first; Lincoln 4 years or 80,000 km whichever comes first
Part purchased and installed during or after the original vehicle warranty	Whichever of the following options provides the greater benefit to the customer: 1) 2 years / unlimited miles	Whichever of the following options provides the greater benefit to the customer: 1) 2 years / unlimited kilometers

This limited warranty does not cover any damage, defect or malfunction caused by misuse, abuse, accident, improper installation, modification or improper or lack of maintenance. Incidental and consequential damages are not recoverable under this warranty. This warranty offers you specific legal rights. You may have additional or other rights as which vary from state to state or province to province.

If you experience a warranty issue with this product please visit your Ford dealer. If the repair is covered by the warranty above and completed by the dealership, labor is also covered by Ford -- Ford Warranty and Policy – Section 3.

Please note that Truck Hardware Ltd. has replacement component parts available to assist consumers and dealers to resolve warranty and non-warranty issues as quickly as possible.

Note to dealer:

Ford dealers should contact Truck Hardware Ltd. by phone at 1-800-661-8208 and ask to speak to the warranty administrator or by email to: info@truckhardware.ca.